

Stt	Hình ảnh	Model
I.CAMERA ANALOG		
1		CA-FW181GW
2		CA-FW171GW
3		CA-FW161G
4		CA-DW181EW

5		CA-DW171EW
6		CA-DW161HW
7		DVR2104HCB
8		DVR2108HCB
9		DVR2116HCB

10		DVR3204LFSB
11		DVR6404LFSB
12		
13		IPC-HFW4100SP0360W
14		IPC-HFW2100SP0360W
15		IPC-HFW2100P-0360W
16		IPC-HFW3101C
17		IPC-HDW4100SP-0360W
18		IPC-HDW2100P-0280W

19		IPC-HDB4100CP-0280W
20		IPC-HD2100P-0280W
21		DH-IPC-KW100WPW
22		IPC-KW12WPW
23		SD6323C-HNW

24		SD59212SW
25		SD59230SHNW
26		NVR2108
27		NVR2104HB
28		NVR2108HB
29		NVR2104H-PB
30		NVR2108H-PB
31		NVR2204B
32		NVR2208B
33		NVR2216B

34		NVR7232B
35		NVR7264B
36		
37		HAC-HFW2100DW (with bracket)
38		HAC-HDW2100MW
39		HAC-HFW2100BW

40		HAC-HFW2100BW (with bracket)
41		HAC-HFW2100DW
42		HCVR5104HCB
43		HCVR5108HCB
44		HCVR5404LB
45		HCVR5408LB
46		HCVR5416LB

ĐIỀU KHOẢN THƯƠNG MẠI CHUNG:

- * Đơn giá trên đã bao gồm thuế VAT 10%.
- * Sản phẩm được nhập khẩu chính hãng nguyên hộp, bảo hành 2.
- * Với những sản phẩm không có sẵn, thời gian nhập hàng là từ 3.

Thông số kỹ thuật	Đơn Giá	Tình trạng hàng hóa
> 1/3" HDIS >Độ Phân giải cao 720TVL(Color) > Ngày/đêm (ICR), ATW, AGC, BLC > 6mm ống kính cố định (tùy chọn 2.8 mm, 3.6mm , 8mm) > Max. IR LEDs chiều dài 20m, Smart IR > IP66, DC12V	2,100,000	có hàng
• 1/3" HDIS • Độ phân giải (600TVL(Color) • 0.1Lux/F1.2(Color), 0Lux(IR on) • 6mm ống kính cố định (tùy chọn 2.8 mm, 3.6mm, 8mm) • Ngày/đêm(ICR) • IR LEDs: 20m • IP66, DC12V • Cố định : với chân đế • Chất liệu : kim loại	2,100,000	có hàng
• 1/3.7" HDIS • 540TVL(Color) • 0.1Lux/F1.2(Color), 0Lux(IR on) • Ống kính: 6mm(tùy chọn 2.8mm, 3.6mm, 8mm) • Ngày / đêm(ICR) • IR LEDs: 30m • IP66, DC12V • Chất liệu : kim loại(mặt trước)+ Nhựa (thân)	1,500,000	
> 1/3" HDIS > Độ phân giải cao 720TVL(Color) >Ngày/đêm(ICR), AWB, AGC, BLC > 3.6mm ống kính cố định (Tùy chọn 2.8mm , 6mm, 8mm) > Max. IR LEDs chiều dài 20m, Smart IR > IP66, DC12V	1,800,000	có hàng

• 1/3" HDIS • 600TVL(Color) • 0.1Lux/F1.2(Color) • Ống kính: 3.6mm(tùy chọn 6mm) • Ngày / đêm(ICR) • IR LEDs: 20m • IP66, DC12V • Chất liệu : kim loại (lõi bên trong)+nhựa (bên ngoài)	1,700,000	có hàng
• 1/3.7" HDIS • 540TVL(Color) • 0.1Lux/1.2(Color), 0Lux(IR on) • Ống kính : 6mm(Tùy chọn 2.8mm, 3.6mm, 8mm) • D&N(ICR) • IR LEDs: 20m • DC12V • Chất liệu: Nhựa	1,400,000	có hàng
> Up to 4 cameras with 1080p realtime preview > H.264 dual-stream video compression > DVR2104/2108/2116HC: All channel 2CIF realtime recording > HDMI/VGA simultaneous video output > All channel synchronous realtime playback, GRID interface & smart search > Support 1 SATA HDD up to 4TB, 2 USB2.0 > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS	4,145,400	có hàng
> Up to 8 cameras with 1080p realtime preview > H.264 dual-stream video compression > DVR2104/2108/2116HC: All channel 2CIF realtime recording > HDMI/VGA simultaneous video output > All channel synchronous realtime playback, GRID interface & smart search > Support 1 SATA HDD up to 4TB, 2 USB2.0 > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS	4,906,800	có hàng
> Up to 16 cameras with 1080p realtime preview > H.264 dual-stream video compression > DVR2104/2108/2116HC: All channel 2CIF realtime recording > HDMI/VGA simultaneous video output > All channel synchronous realtime playback, GRID interface & smart search > Support 1 SATA HDD up to 4TB, 2 USB2.0 > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS	7,200,000	có hàng

• 32ch video inputs • 16/1ch audio in/out, 1/1ch Mic in/out • All channel 2CIF or every 4ch: 1ch D1 & 3ch CIF • HDMI, VGA output up to 1080p, 1 TV, 1 Spot • 16/3ch alarm in/out, RS485 • 16ch sync realtime playback • 8 SATA, 1 eSATA, 4 USB, RJ45(1000M)		
> Up to 64 cameras with 1080p realtime live view > H.264 dual-stream video compression > All channel 2CIF or every 8 channel: 1ch D1 & 7ch CIF realtime recording > HDMI / VGA / TV / Spot simultaneous video output > 16 channel synchronous realtime playback, GRID interface & smart search > 3D intelligent positioning with Dahua PTZ camera > Support 8 SATA HDDs up to 32TB, 1eSATA up to 16TB, 4 USB2.0 > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
1/3" 1.3M Aptina COMS;0.01Lux@F1.2,0Lux(IR on);ICR; Bulit-in lens (Tùy chọn 3.6, 6, 8);IR-LED 20m,H.264/MJPEG;1.3M/720p,DC12V,POE	7,360,200	có hàng
1/3" 1.3M Aptina COMS;0.01Lux@F1.2,0Lux(IR on);ICR; Ống kính gắn sẵn (tùy chọn 3.6, 6, 8);IR-LED 20m,H.264/MJPEG;1.3M/720p,DC12V,POE		có hàng
1/3" 1.3M Aptina COMS;0.01Lux@F1.2,0Lux(IR on);ICR; Ống kính gắn sẵn(Tùy chọn 3.6, 6, 8);IR-LED 20m,H.264/MJPEG;1.3M/720p,DC12V,POE	5,800,000	có hàng
1.3Megapixel WDR HD Network IR-Bullet Network Camera Overview • 1/3" 1.3Mp Aptina CMOS • H.264/MJPEG & dual-stream encoding • Max 25/30fps@1.3M(1280×960)/720p • Lens: 2.8~12mm/F1.4, IR LEDs: 20m • WDR, D&N(ICR), Auto Iris, Micro SD card • IP66, DC12V(AC24V optional), PoE • Material: Plastic (upper cover)+ Metal (the rest)		có hàng
1/3" 1.3M Aptina COMS;0.01Lux@F1.2,0Lux(IR on);ICR; Ống kính gắn sẵn (Tùy chọn 2.8,3.6, 6);IR-LED 20m,H.264/MJPEG;1.3M/720p,DC12V,POE	7,614,000	có hàng
1/3" 1.3M Aptina COMS;0.01Lux@F1.2,0Lux(IR on);ICR; Ống kính gắn sẵn (Tùy chọn 2.8,3.6, 6);IR-LED 20m,H.264/MJPEG;1.3M/720p,DC12V,POE		

1/3" 1.3M Aptina COMS;0.01Lux@F1.2;Ống kính gắn sẵn (Tùy chọn 2.8 ,3.6, 6, 8);H.264/MJPEG;1.3M/720p;Micro SD,DC12V,POE	5,200,000	có hàng
1/3" 1.3M Aptina COMS;0.01Lux@F1.2;Ống kính gắn sẵn (Tùy chọn 2.8 ,3.6, 6, 8);H.264/MJPEG;1.3M/720p,DC12V,POE		
> 1/3" 1.3Megapixel Aptina CMOS > H.264 & MJPEG dual-stream encoding > Max 25/30fps@1.3M (1280×960)/ 720P(1280×720) > DWDR, Day/Night, 2DNR, Auto iris, AWB, AGC, BLC > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS > 3.6mm fixed lens > IR LEDs length 10m > PIR sensor range 6m > Audio linkage and Audio detect > Micro SD memory (KW100A only), PoE (KW100&KW100A only), Wi-Fi (KW100W only)	6,900,000	có hàng
1/3" 1M Progressive Scan COMS,ICR H.264/MJPEG,720P (1~30fps) 0.01Lux@F1.2,0lux(IR on),Bulit-in lens 3.6mm,IR distance 10m, Bulit-in Mic;DC12V KW10: basic version KW10W: basic version with wifi 802.11b\g\n KW12: PIR, Bulit-in Speaker,Micro SD KW12W:PIR, Bulit-in Speaker,Micro SD,wifi 802,11b\g\n	4,200,000	có hàng
23x D1 Network PTZ Dome Camera >Powerful 23x optical zoom >H.264 & MJPEG dual-stream encoding >25/30fps@D1(4CIF)/CIF/VGA resolution >DWDR, Day/Night (ICR), DNR (2D&3D), Auto iris, Auto focus, AWB, AGC, BLC >Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS >Max 300 °/s pan speed, 360° continuous pan rotation >Up to 255 presets, 5 auto scan, 8 tour, 5 pattern >Built-in 2/1 alarm in/out >Support intelligent 3D positioning with DH-SD protocol >Micro SD memory, IP66		

2Mp Full HD 12x/30x Network IR PTZ Dome Camera>12x optical zoom >H.264 & MJPEG dual-stream encoding >Max. 25/30fps@1080P(1920x1080) & 50/60fps@720Presolution >DWDR,Day/Night(ICR), Ultra DNR, Auto iris, Auto focus >Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS >Max 400°/s pan speed, 360° endless pan rotation >Up to 300presets, 5 auto scan, 8 tour, 5 pattern >Built-in 2/1 alarm in/out >Support intelligent 3D positioning with DH-SD protocol >Micro SD memory, IP66 >IP Distance up to 100m(AC24V)/80m(DC12V)		
2Mp Full HD 12x/30x Network IR PTZ Dome Camera >30x optical zoom >H.264 & MJPEG dual-stream encoding >Max. 25/30fps@1080P(1920x1080) & 50/60fps@720Presolution >DWDR,Day/Night(ICR), Ultra DNR, Auto iris, Auto focus >Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS >Max 400°/s pan speed, 360° endless pan rotation >Up to 300presets, 5 auto scan, 8 tour, 5 pattern >Built-in 2/1 alarm in/out >Support intelligent 3D positioning with DH-SD protocol >Micro SD memory, IP66 >IP Distance up to 100m(AC24V)/80m(DC12V)		
60M bandwidth up to 720P resolution; 2ch 1080p, 1 VGA/1 HDMI, 1 RJ45(100M), 2 USB, 1 HDD, Smart 1U, 4POE.	8,200,000	có hàng
60M Băng thông lên tới 1080P, 2ch 1080p/4ch 720P xem trước và phát lại, 1 VGA/1 HDMI, 1 RJ45(100M), 2/1 alarm, 1/1 mic, 2 USB, 1 HDD, mini 1U.	11,000,000	
60M Băng thông lên tới 1080P, 2ch 1080p/4ch 720P xem trước và phát lại, 1 VGA/1 HDMI, 1 RJ45(100M), 2/1 alarm, 1/1 mic, 2 USB, 1 HDD, mini 1U.	11,800,000	có hàng
60M băng thông lên tới 1080P, 2ch 1080p/4ch 720P xem trước và phát lại, 1 VGA/1 HDMI, 1 RJ45(100M), 2/1 alarm, 1/1 mic, 2 USB, 1 HDD, mini 1U, 4POE.		
60M băng thông lên tới 1080P, 2ch 1080p/4ch 720P xem trước và phát lại, 1 VGA/1 HDMI, 1 RJ45(100M), 2/1 alarm, 1/1 mic, 2 USB, 1 HDD, mini 1U, 4POE.		
60M băng thông lên tới 1080P, 2ch 1080p/4ch 720P xem trước và phát lại, 1 VGA/1 HDMI, 1 RJ45(1000M), RS232, RS485, 2 USB, 2 HDD, 1U.		
60M băng thông lên tới 1080P, 2ch 1080p/4ch 720P xem trước và phát lại, 1 VGA/1 HDMI, 1 RJ45(1000M), RS232, RS485, 2 USB, 2 HDD, 1U.		
80M băng thông lên tới 1080P độ phân giải; 1 VGA/1 HDMI, 1 RJ45(100M), RS232, RS485, 2 USB, 2 HDD, 1U.	13,400,000	có hàng

>Up to 32 channel with 1080p realtime live view >H.264/MJPEG dual codec decoding >Max 256Mbps incoming bandwidth >HDMI / VGA simultaneous video output >8/16/32channel synchronous realtime preview, GRID interface >Support Multi-brand network cameras: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, >CP Plus, Dynacolor, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videosec, Vivotek and etc. >ONVIF Version 2.2 conformance >3D intelligent positioning with Dahua PTZ camera >Support 2 SATA HDDs up to 8TB, 2 USB2.0 >Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
>Up to 64 channel with 1080p realtime live view >H.264/MJPEG dual codec decoding >Max 256Mbps incoming bandwidth >HDMI / VGA simultaneous video output >8/16/32channel synchronous realtime preview, GRID interface >Support Multi-brand network cameras: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, >CP Plus, Dynacolor, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videosec, Vivotek and etc. >ONVIF Version 2.2 conformance >3D intelligent positioning with Dahua PTZ camera >Support 2 SATA HDDs up to 8TB, 2 USB2.0 >Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
1.3Megapixel 720P Waterproof IR HDCVI Camera 50/60fps@720P, ICR, OSD, IP66 Max. IR Led length: 50m, Smart IR HD and standard definition switch 8mm fixed lens(3.6mm, 6mm,12mm, 16mm optional) Default: Bracket included	2,860,000	có hàng
1.3 Megapixel 720P Waterproof IR Dome HDCVI Camera 25/30/50/60fps@720P, ICR, IP66 Max. IR Led length: 20m, Smart IR 3.6mm fixed length(2.8mm, 6mm, 8mm optional)	2,470,000	có hàng
1.3Megapixel 720P Waterproof IR HDCVI Camera 50/60fps@720P, ICR, OSD, IP66 Max. IR Led length: 30m, Smart IR HD and standard definition switch 6mm fixed length(2.8mm, 3.6mm, 8mm optional)		

1.3Megapixel 720P Waterproof IR HDCVI Camera 50/60fps@720P, ICR, OSD, IP66 Max. IR Led length: 30m, Smart IR HD and standard definition switch 6mm fixed lens(2.8mm, 3.6mm, 8mm optional) Default: Bracket included		
1.3Megapixel 720P Waterproof IR HDCVI Camera 50/60fps@720P, ICR, OSD, IP66 Max. IR Led length: 50m, Smart IR HD and standard definition switch <u>8mm fixed lens(3.6mm, 6mm, 12mm, 16mm optional)</u>		
720P realtime, Mini 1U Case,1 HDMI/1 VGA,4/8ch Video in,1 RJ45(100M),2 USB, 1 HDD	2,860,000	có hàng
720P realtime, Mini 1U Case,1 HDMI/1 VGA,4/8ch Video in,1 RJ45(100M),2 USB, 1 HDD	4,160,000	có hàng
720P realtime, 1.5U Case,1 HDMI/1 VGA/1 TV,4/8/16ch Video in,1 RJ45(100M), 4 Audio in/1 Audio out,4/8/16 Alarm in/6 Alarm out, 1 RS485,3 USB, 4 HDD		
720P realtime, 1.5U Case,1 HDMI/1 VGA/1 TV,4/8/16ch Video in,1 RJ45(100M), 4 Audio in/1 Audio out,4/8/16 Alarm in/6 Alarm out, 1 RS485,3 USB, 4 HDD		
720P realtime, 1.5U Case,1 HDMI/1 VGA/1 TV,4/8/16ch Video in,1 RJ45(100M), 4 Audio in/1 Audio out,4/8/16 Alarm in/6 Alarm out, 1 RS485,3 USB, 4 HDD	17,290,000	

4 tháng
-4 tuần

Ghi chú

Bán chạy nhất

Bán chạy nhất

Bán chạy nhất
Bán chạy nhất
Bán chạy nhất
Bán chạy nhất

Bán chạy nhất
Bán chạy nhất

[illegible]

Bán chạy nhất
Bán chạy nhất

Bán chạy nhất
Bán chạy nhất